			V
Notice of Allowability Ex	Application No.	Applicant(s) HEILES, LAINYE E.	
	10/027,687		
	Examiner	Art Unit	
	Nelson D. Hernandez	2612	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	6 (OR REMAINS) CLOSED in th) or other appropriate communic RIGHTS. This application is sub	is application. If not includ cation will be mailed in due	led course. THIS
1. \square This communication is responsive to <u>26 February 2005</u> .			
2. The allowed claim(s) is/are <u>1-17,20,22,24 and 25</u> .			
3. The drawings filed on 20 December 2001 are accepted by	the Examiner.		
 4.	e been received. e been received in Application Nocuments have been received in of this communication to file a MENT of this application. nitted. Note the attached EXAMITIES reason(s) why the oath or desired.	this national stage applicates the stage application of the stage application and stage applications are staged as a stage application and stage applications are staged as a stage application and staged applications are staged applications.	quirements
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mu(a) ☐ including changes required by the Notice of Draftsper		PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date	-·	vo o ro, andonou	
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment or in	the Office action of	
Identifying indicia such as the application number (see 37 CFR deach sheet. Replacement sheet(s) should be labeled as such in the sheet.	1.84(c)) should be written on the c the header according to 37 CFR 1	Irawings in the front (not the .121(d).	e back) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERI FOR THE DEPOSIT OF BIOLO	AL must be submitted. I OGICAL MATERIAL.	Note the
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Inforr	nal Patent Application (PT	O-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sumi Paper No /Ma	mary (PTO-413), il Date	
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date Jun 1, 2004	08), 7. 🔲 Examiner's Am	endment/Comment	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's Sta 9. □ Other	tement of Reasons for Allo	owance

Application/Control Number: 10/027,687

Art Unit: 2612

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-17, 20, 22, 24 and 25 are allowed.
- 2. The following is a statement of reasons for the indication of allowable subject matter:

Regarding claims 1, 9, 14, 17, 22 and 24, the main reason for indication of allowable subject matter is because the prior art fails to teach or reasonably suggest that the contact sheet generation mechanism, in response to determining that a current contact sheet file includes a maximum number of thumbnail images after adding an additional thumbnail image to the current contact sheet files is to create a new contact sheet file and set the new contact sheet file as the current contact sheet file to which further thumbnail images are to be added.

Ogawa, US Patent 6,603,506 discloses a digital camera (Figs. 1: 10 and 13: 10) comprising: a picture-taking mechanism (Fig. 1: 10a) to take pictures to generate image files (Col. 3, lines 40-53) corresponding to the pictures; and, a contact sheet generation mechanism (Fig. 1: 10m) to generate one or more contact sheet files, each contact sheet file including a plurality of thumbnail images, each thumbnail image corresponding to one of the image files (Fig. 5, col. 3, lines 8-33; col. 4, line 54 – col. 5, line 29; col. 5, lines 58-63). However Ogawa fails to teach or reasonably suggest that the contact sheet generation mechanism, in response to determining that a current contact sheet file includes a maximum number of thumbnail images after adding an additional thumbnail image to the current contact sheet files is to create a new contact sheet file

Application/Control Number: 10/027,687

Art Unit: 2612

and set the new contact sheet file as the current contact sheet file to which further thumbnail images are to be added.

Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nelson D. Hernandez whose telephone number is (571) 272-7311. The examiner can normally be reached on 8:00 A.M. to 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy R. Garber can be reached on (571) 272-7308. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nelson D. Hernandez Examiner Art Unit 2612 Page 3

NDHH April 27, 2005

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2500